



Grey: Subtle and sophisticated Ivory: Classic and timeless

Taupe: Neutral yet rich and earthy

White: Clean and fresh

porcelain with a rectified cut

beauty.

ensuring durability and lasting



## Technical Specifications ABSTRACT RANGE

	Properties	Test Method	Required Value	Value
~ <del>~</del>	Water absorption	UNI EN ISO 10545-3	LESS THAN 0,5	0,12
<b>&lt;&gt;</b>	Determination of dimensions	UNI EN ISO 10545-2	+/- 0,6 MAX	+/-0.2
*	Breakage strength	UNI ES ISO 10545-4	THICKNESS OVER 7,5 MM MUST BE > 1300 N	1890 N
<u></u>	Modulus of rupture	UNI ES ISO 10545-4	OVER 35 MPA	42 MPA
	Chemical resistance	UNI ES ISO 10545-13	MINIMUM CLASS B	GA CLASS
230	Stain resistance	UNI ES ISO 10545-14	OVER CLASS 3	CLASS 5
<b>S</b>	Origin			CHINA
	Shade variation			V1

Please note that this technical specification sheet is issued to you on an INDICATION ONLY basis as information is subject to shade/production variations, not necessarily to material you would be receiving. No responsibility will be held for the item not meeting this result. It is the responsibility of the end user to carry out appropriate testing for the tiles intended use.

## **Packing Information**

Tile desc	Quantity per Box			
Size (cm)	Texture	Pieces	Sqm	Weight
30x30.5 (mosaic)	Matt	11	-2	19.90
30x30	Matt	11	0.99	21.30
30x60	Matt	8	1.44	30.55
60x60	Matt	4	1.44	31.20