


VISION

GLAZED PORCELAIN


Our Vision of Terrazzo Tiles





TECHNICAL DETAILS


VISION COLORS & DIMENSIONS





60x60 cm 24"x24"	
	10x30 cm
60x30 cm	30x30 cm
24"x12"	12"x12"

4 Faces
2 Finishes
(Matt, External)



LIGHT GREY

60x60 cm 24"x24"	
	10x30 cm
60x30 cm	30x30 cm
24"x12"	12"x12"

4 Faces
2 Finishes
(Matt, External)



WHITE

60x60 cm	
24"x24"	
	10x30 cm
60x30 cm	30x30 cm
24"x12"	12"x12"

4 Faces
2 Finishes
(Matt, External)

Packing Information

Tile description		Quantity per Box		
Size (cm)	Texture	Pieces	Sqm	Weight
10x30	Matt	36	1.08	22.00
30x30	Matt	11	0.99	21.20
30x60	Matt	8	1.44	31.10
60x60	Matt & External	4	1.44	31.10




"A Journey into the Old Venice"

With an aesthetic that shifts between concrete and stone, terrazzo tiles are some of the most wanted tiles for a charming and elegant look. With a timeless beauty that is hard to resist, terrazzo tiles are a less than classy origin: created from the combination of different materials, it's the definition that beauty can be found if one just dares to look. Vision is our idea of terrazzo tiles, a subtle yet peculiar look, presenting a delicate graphic on a concrete background, perfect to give interiors an elegant touch that can also be modern, and a fitting choice for exteriors, to create stunning patios and decks.

Our interpretation of terrazzo flooring aims to experiment with new approaches to graphics and design to recreate that same feeling of 15th century in Venice, when this particular technique was created as a way of re-using marble and granite chips, mixed together with cement to remind the onlookers of an uneven mosaic. We want to honor the traditional feel of this tile and offer our own vision of it, our ideal of a beauty that can decorate the spaces we hold dearest to out hearts.










CREATION










DESIGN















Technical Specifications VISION RANGE

	Properties	Test Method	Required Value	Value
	Water absorption	UNI EN ISO 10545-3	LESS THAN 0,5	0,12
\langle	Determination of dimensions	UNI EN ISO 10545-2	+/- 0,6 MAX	+/-0.2
*	Breakage strength	UNI ES ISO 10545-4	THICKNESS OVER 7,5 MM MUST BE > 1300 N	1890 N
	Modulus of rupture	UNI ES ISO 10545-4	OVER 35 MPA	42 MPA
	Chemical resistance	UNI ES ISO 10545-13	MINIMUM CLASS B	GA CLASS
2000	Stain resistance	UNI ES ISO 10545-14	OVER CLASS 3	CLASS 5
	Origin			CHINA
	Shade variation			V2

Please note that this technical specification sheet is issued to you on an INDICATION ONLY basis as information is subject to shade/production variations, not necessarily to material you would be receiving. No responsibility will be held for the item not meeting this result. It is the responsibility of the end user to carry out appropriate testing for the tiles intended use.