

STABO  TILE
Italian passion

LAPIS

GLAZED PORCELAIN



GLAZED PORCELAIN

STARSTILE

Italian passion

Founded, owned and managed by italians, the internationally known brand Starstile has been synonymous of quality and experience in the tile industry for more than ten years. With offices in China and Italy, we develop new ranges every year, keeping a close eye to the market trends, collaborating with our own design studio to bring new graphics to life.

Our vision is to share with others the beauty of tiles, rigorously keeping the quality of our products under control, following safety standards and doing our best to use manufacturing processes that are environmentally conscious.

Simplicity is the keyword of our company: simple, beautiful tiles that are elegant and luxurious in feel, touch and the way they look, combined with the beautiful presentation of our sample books and every single one of our marketing tools.

STARSTILE Design Studio Team


LAPIS LAPIS

*“A Landscape in the
Travertine Surface”*

“

Through the “Lapis Tiburtinus”, the Roman travertine, the ancient Latins created the very face of their cities, remodeled the typical landscapes of the Urbe. On one side the cold stone, the primordial material, on the other the pencil, the tool through which people’ ideas can take shape becoming a drawing - both symbolized by the word Lapis. Upon closer inspection, the symbolic nature of travertine appears immediately clear: its texture tells us of a story of torrents and brooks through its veins, of hills and crevices, of mineral islands in a sea of rock, surrounded by strange animals and fossil plants belonging to a distant time. The surface of Travertine is a landscape on its own, at its heart it preserves, albeit in an embryonic form, all the elements of the environment in which it was formed and of which it is an integral part. A microcosm in the image of the macrocosm.





LAPIS LAPIS

“A Great Design Destined to Perpetuate over Time”

Therefore, it must have seemed natural to the builders of those times, to those first quarrymen, to use this stone when constructing their cities, their monuments, the design of their urban landscape, in search of their own environment. Thus, the city was formed by borrowing the shape of the streets from the rivers, the houses from the caves and that of the squares from the wide valleys. Finally, when the inhabited areas were abandoned and nature regained possession of the man-made places, travertine returned to its original role as stone, only to be rediscovered and reused in new buildings, in the construction of new cities, in the perspective of new environments; it became part of a grand design destined to perpetuate over time, changing from time to time in the superficial aspect, but never the soul inside.

”

TECHNICAL DETAILS (1.0)

4 COLOURS **1** FINISH
(matt) **4** SIZES



AVAILABLE CUTS



WHITE



NOCE



GOLD



SILVER




LAPIS

installation example

60x120 cm Gold

WHITE







LAPIS

on floor: 60x60 cm White



LAPIS

on wall: 30x60 cm White





LAPIS

on floor: 60x120 cm White

NOCE








LAPIS

on floor: 60x60 cm Noce



LAPIS

on wall: 30x60 cm Noce





GOLD





LAPIS

on floor: 60x60 cm Gold



LAPIS



on wall: 30x60 cm Gold



MATCHING
POTTERY



MATCHING
**VARNISHED
WOOD**



LAPIS

on floor: 60x120 cm Gold





SILVER





LAPIS

on floor: 60x60 cm Silver

LAPIS

on wall: 30x60 cm Silver



STARSTILE









Italian passion

LAPIS



GLAZED PORCELAIN

Technical Specifications LAPIS RANGE

	Properties	Test Method	Required Value	Value
	Water absorption	UNI EN ISO 10545-3	LESS THAN 0,5	0,12
	Determination of dimensions	UNI EN ISO 10545-2	+/- 0,6 MAX	+/-0.2
	Breakage strength	UNI ES ISO 10545-4	THICKNESS OVER 7,5 MM MUST BE > 1300 N	1890 N
	Modulus of rupture	UNI ES ISO 10545-4	OVER 35 MPA	42 MPA
	Chemical resistance	UNI ES ISO 10545-13	MINIMUM CLASS B	GA CLASS
	Stain resistance	UNI ES ISO 10545-14	OVER CLASS 3	CLASS 5
	Origin			CHINA
	Shade variation			V2

Packing Information

Tile description		Quantity per Box		
Size (cm)	Texture	Pieces	Sqm	Weight
30x30	Matt	11	0.99	21.00
30x60	Matt	8	1.44	30.50
60x60	Matt	4	1.44	31.15
60x120	Matt	2	1.44	36.00

Please note that this technical specification sheet is issued to you on an INDICATION ONLY basis as information is subject to shade/production variations, not necessarily to material you would be receiving. No responsibility will be held for the item not meeting this result. It is the responsibility of the end user to carry out appropriate testing for the tiles intended use.