

STABO STILE

Italian passion

NUOVI MARMI

CALACATTA
GOLD

GLAZED PORCELAIN



CALACATTA GOLD


THE ESSENCE OF ITALIAN OPULENCE

Indulge in the *opulence of Italian* marble with our Calacatta Gold porcelain tile. Inspired by the rare and exquisite Calacatta gold marble quarried from the Apuan Alps of Italy, these tiles offer a *luxurious alternative without compromising on durability or beauty*, capturing the essence of their natural counterpart with striking veins of gold and delicate beige hues dancing across a pristine white background. Each tile is a work of art, meticulously crafted with unparalleled sophistication.

A symbol of luxury and prestige, from the grandeur of Roman temples to the opulence of Renaissance palaces, this exquisite marble has adorned the most iconic buildings and monuments throughout history.

Marbles, those exquisite stones *sculpted by the grasp of time*, hold a timeless allure that has captivated humans for centuries. From the grandeur of ancient temples to the elegance of modern architectural masterpieces, marble has left a special mark on human history and culture that can hardly be compared to anything else. With their *timeless elegance*, marbles are renowned for their breathtaking colors and intricate patterns, each slab a unique masterpiece crafted by nature. We want to replicate this with our New Marbles range: *the perfect blend of nature-inspired beauty and modern innovation*.

STARSTILE DESIGN STUDIO TEAM



TECHNICAL DETAILS

COLOURIZATIONS, *FINISHES and SIZES*

COLOURIZATION:
CALACATTA GOLD

FINISHES:
POLISH / MATT

AVAILABLE SIZES:

30x30 cm *Matt*

30x60 cm *Matt & Polish*

60x60 cm *Matt & Polish*

60x120 cm *Matt & Polish*

27.2x29.8 cm sheet (4.8x14.8cm) *Matt & Polish*

FACES:

60x60 cm (10 faces)

60x120 cm (10 faces)



Packing Information

Tile description		Quantity per Box		
Size (cm)	Texture	Pieces	Sqm	Weight
27.2x29.8 (mosaic)	Matt & Polished	11	-	19.05
30x30	Matt	11	0.99	21.00
30x60	Matt & Polished	8	1.44	31.00
60x60	Matt & Polished	4	1.44	31.00
60x120	Matt & Polished	2	1.44	36.00








27.2x29.8 cm Stretched
Hexagon Mosaic (4.x14.8cm)




Nuovi Marmi:
CALACATTA GOLD
60x60 cm (24"x24")




Nuovi Marmi:
CALACATTA GOLD
60x120 cm (24"x48")





Nuovi Marmi:
CALACATTA GOLD
60x120 cm (24"x48")













Nuovi Marmi:
CALACATTA GOLD
60x60 cm (24"x24")











Technical Specifications Matt Surface

	Properties	Test Method	Required Value	Value	Applies to
	Water absorption	UNI EN ISO 10545-3	LESS THAN 0,5	0,12	Matt surface
	Determination of dimensions	UNI EN ISO 10545-2	+/- 0,6 MAX	+/-0.2	Matt surface
	Breakage strength	UNI ES ISO 10545-4	THICKNESS OVER 7,5 MM MUST BE > 1300 N	1890 N	Matt surface
	Modulus of rupture	UNI ES ISO 10545-4	OVER 35 MPA	42 MPA	Matt surface
	Chemical resistance	UNI ES ISO 10545-13	MINIMUM CLASS B	GA CLASS	Matt surface
	Stain resistance	UNI ES ISO 10545-14	OVER CLASS 3	CLASS 5	Matt surface
	Origin			CHINA	
	Shade variation			V3	Matt surface

Please note that this technical specification sheet is issued to you on an INDICATION ONLY basis as information is subject to shade/production variations, not necessarily to material you would be receiving. No responsibility will be held for the item not meeting this result. It is the responsibility of the end user to carry out appropriate testing for the tiles intended use.

Technical Specifications Polished Surface

	Properties	Test Method	Required Value	Value	Applies to
	Water absorption	UNI EN ISO 10545-3	LESS THAN 0,5	0,12	Polished surface
	Determination of dimensions	UNI EN ISO 10545-2	+/- 0,6 MAX	+/-0.2	Polished surface
	Breakage strength	UNI ES ISO 10545-4	THICKNESS OVER 7,5 MM MUST BE > 1300 N	1900 N	Polished surface
	Modulus of rupture	UNI ES ISO 10545-4	OVER 35 MPA	41 MPA	Polished surface
	Chemical resistance	UNI ES ISO 10545-13	MINIMUM CLASS B	GA CLASS	Polished surface
	Stain resistance	UNI ES ISO 10545-14	OVER CLASS 3	CLASS 5	Polished surface
	Origin			CHINA	
	Shade variation			V3	Polished surface

Please note that this technical specification sheet is issued to you on an INDICATION ONLY basis as information is subject to shade/production variations, not necessarily to material you would be receiving. No responsibility will be held for the item not meeting this result. It is the responsibility of the end user to carry out appropriate testing for the tiles intended use.